

AD

TECHNICAL REPORT TR-77/008


### STUDY TECHNIQUES FOR CONTROLLING LAVOR INTENSITY IN COMPRESSED FOODS Phase II

Approved for public release; distribution unlimited.



June 1976

NATICK RESEARCH and DEVELOPMENT COMMAND NATICK, MASSACHUSETTS 01760





Food Engineering Laboratory
FEE-58

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

NATICE/TR-77/008  TITLE (and Substite) STUDY INCHAITQUES FOR CONTROLLING FLAVOR INTENSITY IN COMPRESSED FOODS (PHASE II).  AUTHOR(s) Robert L. /Pavey  PERFORMING ORGANIZATION NAME AND ADDRESS Swift & Company Research & Development Center Oak Brook, Illinois 60521 I CONTROLLING OFFICE NAME AND ADDRESS ATT:: DRXIN-WM Satick, Mass. 01750  4 MONITORNIA GRENCY NAME & ADDRESSHIP different from Controlling Office) WINCLASSIFIED  INCLASSIFIED  INCLASSIFI	REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
STUPY ESCHNIQUES FOR CONTROLLING FLAVOR  INTENSITY IN COMPRESSED FOODS  (PHASE II).  **PERFORMING ORGANIZATION NAME AND ADDRESS  SWITT & Company  Research & Development Center Oak Brook, Illinois 60521  **Controlling office Name and address  **Winting Development Center Oak Brook, Illinois 60521  **Controlling office Name and address  **Winting Development Command*  **Worth Company  **HONING AREACT AND A DORESS II different from Controlling Office)  **WORDS (Continue on reverse side if necessary and identify by block number)  **NOTITIES TO DESCLASSIFICATION  **WORDS (Continue on reverse side if necessary and identify by block number)  **NOTITIES TO DESCLASSIFICATION  **WORDS (Continue on reverse side if necessary and identify by block number)  **NOTITIES TO DESCLASSIFICATION  **NOT		O. 3 RECIPIENT'S CATALOG NUMBER
STUDY TECHNIQUES FOR CONTROLLING FLAVOR INTENSITY IN COMPRESSED FOODS (PHASE II).  AUTHOR()  Robert L. Pavey  PERFORMING ORGANIZATION NAME AND ADDRESS Swift & Company Research & Development Center Oak Brook, Illinois 60521  CONTRACT OR GRANT NUMBERS US Army Nation Research and Development Command  INTENSITY NAME RESEarch and Development Command  INTELLIBRATION  INTENSITY NAME RESEarch and Development Command  INTELLIBRATION  I	NATICK/TR-77/008	
INTENSITY IN COMPRESSED FOODS  (PHASE II)  AUTHOR(s)  Robert L. Pavey  Robert L. Pavey  DAA217-73-0-0121  PERFORMING ORGANIZATION NAME AND ADDRESS Swift & Company Research & Development Center Oak Brook, Illinois 60521  CONTROLLING OFFICE NAME AND ADDRESS US Army Natick Research and Development Command AUTHOR(s)  NONLING-WM  AUTHOR DAY  NONLING-WM  NONLING-WM  NONLING-WM  NONLING-SIFIED  IS RECURTY CLASS (of this report)  ADDRESS OUTSO  NONLING-WM  NONLING-STATEMENT (of this abstract intered in Block 20. If different from Report  NONLING-STATEMENT (of this abstract intered in Block 20. If different from Report  NONLING-STATEMENT (of this abstract intered in Block 20. If different from Report  NETW WORDS (Continue on reverse side if necessary and identify by block number)  NETW WORDS (Continue on reverse side if necessary and identify by block number)  NETW WORDS (Continue on reverse side if necessary and identify by block number)  NETW WORDS (Continue on reverse side if necessary and identify by block number)  ACCEPTABILITY FOOD BARS FLAVOR  NUMBER OF PAGES  NU	TITLE (and Subtitle)	5 TYPE OF REPORT & PERIOD COVERED
INTENSITY IN COMPRESSED FOODS  (PHASE II)  AUTHOR(s)  Robert L. Pavey  Robert L. Pavey  DAA217-73-0-0121  PERFORMING ORGANIZATION NAME AND ADDRESS Swift & Company Research & Development Center Oak Brook, Illinois 60521  CONTROLLING OFFICE NAME AND ADDRESS US Army Natick Research and Development Command AUTHOR(s)  NONLING-WM  AUTHOR DAY  NONLING-WM  NONLING-WM  NONLING-WM  NONLING-SIFIED  IS RECURTY CLASS (of this report)  ADDRESS OUTSO  NONLING-WM  NONLING-STATEMENT (of this abstract intered in Block 20. If different from Report  NONLING-STATEMENT (of this abstract intered in Block 20. If different from Report  NONLING-STATEMENT (of this abstract intered in Block 20. If different from Report  NETW WORDS (Continue on reverse side if necessary and identify by block number)  NETW WORDS (Continue on reverse side if necessary and identify by block number)  NETW WORDS (Continue on reverse side if necessary and identify by block number)  NETW WORDS (Continue on reverse side if necessary and identify by block number)  ACCEPTABILITY FOOD BARS FLAVOR  NUMBER OF PAGES  NU	STUDY TECHNIQUES FOR CONTROLLING FLAVOR	Final / .t.
ROBERT L. Pavey  PERFORMING ORGANIZATION NAME AND ADDRESS Swift & Company Research & Development Center Oak Brook, Illinois 60521 1 CONTROLLING OFFICE NAME AND ADDRESS ATT.: DRXIN-WM Satick, Mass. 01750 4 NOHITORING AGREEMENT (of the Report) ADDRESS (distribution unlimited.  **STRIBUTION STATEMENT (of the Report) ADDRESS (distribution unlimited.**  **REY WORDS (Confidure on reverse side if necessary and identify by block number) **REY WORDS (Confidure on reverse side if necessary and identify by block number) ADDRESS (Confidure on reverse side if necessary and identify by block number) **ACCEPTABILITY FOOD BARS FLAVOR STUDIES  **PREVENCE TO THE SECURITY CONTROLLING OFFICE ORDERS (TO DESERVATION CONSUMPTION STUDIES  **ARETHACT (Confidure on reverse side if necessary and identify by block number) ADDRESS (Confidure on reverse side if necessary and identify by block number) **ARESTRACT (Confidure on reverse side if necessary and identify by block number) **ARESTRACT (Confidure on reverse side if necessary and identify by block number) **The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Hase II of the study, procedures for encapsulation of flavoring components were developed during this phase were: Mushroon Soup, Ourried Chicken, Beef with Onion Cravy, and Lemenade. These four food items were found to have essented.		
Robert L. Pavey    PERFORMING ORGANIZATION NAME AND ADDRESS   10 PROGRAM ELEMENT, PROJECT, TASK Swift & Company   Research & Development Center Oak Brook, Illinois 60521   10 PROGRAM ELEMENT, PROJECT, TASK 1407-22-202   10 PROGRAM ELEMENT, PROJECT, TASK 1407-22-202   10 PROGRAM ELEMENT, PROJECT, TASK 1407-22-202   11 CENTROLLING OFFICE NAME AND ADDRESS   11 (1652713,10734, 1407-22-202   12 REPORT DATE   19 June 1975   13 NUMBER OF PAGE   19 DEVINON NAME OF PAGE   19 DEVINON NAME OF PAGE   19 DEVINON NAME OF PAGE   19 DEVINOR OF		6 PERFORMING ORG REPORT NUMBER
PERFORMING ORGANIZATION NAME AND ADDRESS  Swift & Company Research & Development Center Oak Brook, Illinois 60521  ICONTROLLING OFFICE NAME AND ADDRESS  US Army Natick Research and Development Command  ATT:: DRX:N-WM  ATT:: DRX:N-WM  AND ADDRESS  If REPORT OATE 19 June 1976  IN UNCLASSIFICATION DOWNGRADING  SCHEOULE  SECURITY CLASS (of this report)  UNCLASSIFICATION DOWNGRADING  SCHEOULE  SUPPLEMENTARY NOTES  MAY 2 1977  MILITARY FEEDING NUTRITION CONCENTRATED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR  AREA work unit underest  10 June 1976  11 REPORT OATE 10 June 1976  12 REPORT OATE 10 June 1976  13 SECURITY CLASS (of this report)  UNCLASSIFICATION DOWNGRADING  SCHEOULE  MAY 2 1977  MAY 2 1977  MAY 2 1977  ACCEPTABILITY FOOD BARS FLAVOR  ACCEPTABILITY FOOD BARS FLAVOR  AREA work unit underest  CONSUMPTION  CONSUMPTION  STUDIES  AREA WORKS (Continue on reverse side if necessary and identify by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS FOOD PRESERVATION  CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR  AREA WORKS WITH CASE  10 June 1976  11 REPORT OATE  12 REPORT OATE 10 June 1976  13 RECURSIVE CLASS (of this report)  UNCLASSIFICATION DOWNGRADING  SCHEOULE  MAY 2 1977  MAY 2 1977  MAY 2 1977  ACCEPTABILITY FOOD BARS FLAVOR  AREA WORKS WITH CASE  THE PURPOSE OF the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study procedures for encapsulation of flavoring components were developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onlino Gravy, and Iemonade. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onlino Gravy, and Iemonade. The four food bars were found to have essen-	(1.171.00 and )	FE <sub>11</sub> -58
PERFORMING ORGANIZATION NAME AND ADDRESS Switt & Company Research & Development Center Oak Brook, Illinois 60521  USATTO NATICE NAME AND ADDRESS  USATTO NATICE NAME AND ADDRESS USATTO NATICE NAME AND ADDRESS USATTO NATICE NAME AND ADDRESS USATTO NATICE NAME AND ADDRESS USATTO NATICE NAME & ADDRESS USATTO NATICE NAME & ADDRESS USATTO NATION NAME & ADDRESS USATTO NAME & ADDRESS NAME & ADDR	AUTHOR(e)	8 CONTRACT OR GRANT NUMBER(a)
PERFORMING ORGANIZATION NAME AND ADDRESS  Swift & Company Research & Development Center Oak Brook, Illimois 60521  ICONTROLLING OFFICE NAME AND ADDRESS  US Army Natick Research and Development Command  ATT:: DRXIN-WM ADDRESS (continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on reverse side if necessary and identify by block number) ADDRESS (Continue on re	Robert L. Pavey	/ DAAG17-73-C-0121
Swift & Company Research & Development Center Cak Brook, Illinois 60521  Controllino office NAME AND ADDRESS US ATTY) Natick Research and Development Command  The Party of the Address of the Report	120010 22 14 (0)	
Swift & Company Research & Development Center Cak Brook, Illinois 60521  Controllino office NAME AND ADDRESS US ATTY) Natick Research and Development Command  The Party of the Address of the Report		
Research & Development Center  AR Brook, Illinois 60521  1 CONTROLLING OFFICE NAME AND ADDRESS  US ATMY Natick Research and Development Command  ATM: DRING-WM  3 NUMBER OF PAGES  AUXILIA MMSS. 01750  4 MONITORING AGENCY NAME & ADDRESS/II different from Controlling Office)  WINCLASSIFIED  15 DECLASSIFICATION DOWNGRADING  SCHEDULE  15 DECLASSIFICATION DOWNGRADING  SCHEDULE  TO DISTRIBUTION STATEMENT (of the abstract minered in Block 20, II different from Repo  NET WORDS (Continue on reverse side if necessary and ident' by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION  FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION  FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onlino Gravy, and Lemonade. These four food items were found to have essen-  Onlino Gravy, and Lemonade. These four food items were found to have essen-		10 PROGRAM ELEMENT PROJECT, TASK - AREA & WORK UNIT NUMBERS
RESERVATION STATEMENT (of the abstract smiered in Block 20, If different from Report  NILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION STUDIES  ***SUPPLEMENTARY NOTES**  *	· ·	10762713AØ34
US ATMY NATICE Research and Development Command  VIS ATMY NATICE Research and Development Command  VIS ATMY NATICE RESearch and Development Command  VIS ATMY NATICE PROBLEM  ATT:: DRAIN-WM  Satick, Mass. 01750  * WONTORNIA GREACT NAME & ADDRESS(II different from Commoditing Office)  WINCLASSIFICATION DOWNGRADING  SCHEDULE  VIS. DECLASSIFICATION DOWNGRADING  SCHEDULE  VIS. DECLASSIFICATION DOWNGRADING  SCHEDULE  VIS. DECLASSIFICATION DOWNGRADING  SCHEDULE  SCHEDULE  VIS. DECLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  SCHEDULE  SCHEDULE  VINCLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  VINCLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  VINCLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  VINCLASSIFICATION DOWNGRADING  SCHEDULE  VINCLASSIFICATION DOWNGRADING  VINCLASSIFICATION DOWNGRA		407-22-202
US Army Natick Research and Development Command 10 June 1975  ATT:: DRXIM-WM  ATT:: DRXIM-WM  ALLICK, Mass. 01750  4 MONITORING AGENCY-MAME & ADDRESSHI different from Controlling Office)  5 SECURITY CLASS (of this report)  UNCLASSIFIED  15 SECURITY CLASS (of this report)  WINCLASSIFIED  15 DECLASSIFICATION DOWNGRADING  SCHEDULE  Approved for public release; distribution unlimited.  Approved for public release; distribution unlimited.  Approved for public release; distribution unlimited.  KEY WORDS (Continue on reverse side if necessary and identify by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION  FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION  FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR STUDIES  ABSTRACT (Continue on reverse side if necessary and identify by block number)  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-		,
ATT:: DRXIN-WM actick, Mass. 01750  **A MONITORING GENEY-HAME & ADDRESS/II diliterati from Controlling Office)  **DECLASSIFICATION DOWNGRADING  **SCHEOULE**  **DECLASSIFICATION DOWNGRADING  **SCHEOULE**  **THIBUTION STATEMENT (of the shelfest microd in Block 20, II diliterant from Repo  **DISTRIBUTION STATEMENT (of the shelfest microd in Block 20, II diliterant from Repo  **MAY 2 1977  **DISTRIBUTION STATEMENT (of the shelfest microd in Block 20, II diliterant from Repo  **MAY 2 1977  **MILITARY FEEDING NUTRITION CONCENTRATED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSED FOODS FOOD PRESERVATION CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  **ABSTRACT (Continue on reverse side if necessary and identify by block number)  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During fhase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essent.		7 /1 · · · · · /
Approved for public release; distribution unlimited.  **STAREUTION STATEMENT (of the abstract intered in Block 20, if different from Report)  **SUPPLEMENTARY NOTES  **SUPPLEMENTARY NO		· A
MAY 2 1977  **SUPPLEMENTARY NOTES  **KEY WORDS (Continue on reverse side if necessary and identify by block number)  **MILITARY FEEDING NUTRITION CONCENTRATED FOODs  **RESTRICT (Continue on reverse side if necessary and identify by block number)  **ABSTRACT (Continue on reverse side if necessary and identify by block number)  **ABSTRACT (Continue on reverse side if necessary and identify by block number)  **ABSTRACT (Continue on reverse side if necessary and identify by block number)  **PARSTRACT (Continue on reverse side if necessary and identify by block number)  **PARSTRACT (Continue on reverse side if necessary and identify by block number)  **PARSTRACT (Continue on reverse side if necessary and identify by block number)  **PARSTRACT (Continue on reverse side if necessary and identify by block number)  **PARSTRACT (Continue on reverse side if necessary and identify by block number)  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During fhase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essent.	_	2277277
UNCLASSIFIED  15. DECLASSIFICATION DOWNGRADING  Approved for public release; distribution unlimited.  7 DISTRIBUTION STATEMENT (of the abstract antered in Block 20, 11 different from Repo  MAY 2 1977  B SUPPLEMENTARY NOTES  A SUPPLEMENTARY NOTES  WILLITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  ABSTRACT (Continue on reverse side if necessary and identity by block number) The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-		1
Approved for public release; distribution unlimited.  MAY 2 1977  B SUPPLEMENTARY NOTES  KEV WORDS (Continue on reverse side if necessary and identity by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were founted have essen-		1
Approved for public release; distribution unlimited.  7 DISTRIBUTION STATEMENT (of the abstract intered in Block 20, if different from Repo  MAY 2 1977  B SUPPLEMENTARY NOTES  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION FOOD RESEARCH RATIONS COMPRESSION STUDIES  ACCEPTABILITY FOOD BARS FLAVOR The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essent.	17111	- OHOLIACOLI LEO
Approved for public release; distribution unlimited.  Approved for public release; distribution unlimited.  Distribution statement (of the abstract antered in Block 20, if different from Repo.)  MAY 2 1977  KEY WORDS (Continue on reverse side if necessary and ident' by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION  FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION  FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR STUDIES  ABSTRACT (Continue on reverse side if necessary and identify by block number)  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essented.	AND THE AND THE STATE OF THE ST	
Approved for public release; distribution unlimited.  7 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Repo  MAY 2 1977  8 SUPPLEMENTARY NOTES  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD RESEARCH RATIONS COMPRESSED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSED CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  PASSTRACT (Continue on reverse side if necessary and identify by block number) The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essented.	- / // 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1	SCHEDULE
DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Repo)  MAY 2 1977  B SUPPLEMENTARY NOTES  MEY WORDS (Continue on reverse aide if necessary and ident' by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION  FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION  FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR STUDIES  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essented.		1
KEY WORDS (Continue on reverse side if necessary and ident' by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-		
KEY WORDS (Continue on reverse side if necessary and identi' by block number)  MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION  FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION  FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION  ACCEPTABILITY FOOD BARS FLAVOR STUDIES  ABSTRACT (Continue on reverse side if necessary and identify by block number)  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-	7 DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, if different t	MEGERAL
MILITARY FEEDING NUTRITION CONCENTRATED FOODS REHYDRATION FOOD QUALITY COMPRESSED FOODS FOOD PRESERVATION FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-	8 SUPPLEMENTARY NOTES	DESIGNA A
FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-		
FOOD RESEARCH RATIONS COMPRESSION CONSUMPTION ACCEPTABILITY FOOD BARS FLAVOR STUDIES  ABSTRACT (Continue on reverse side if necessary and identify by block number) The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-		
ACCEPTABILITY FOOD BARS FLAVOR STUDIES  The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-	· · · · · · · · · · · · · · · · · · ·	
The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-		
The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-	ACCEPTABILITY FOOD BARS FLAVOR	STUDIES
The purpose of the study was to develop dual purpose compressed food bars which could be eaten as is or rehydrated to a familiar food item. During Phase II of the study, procedures for encapsulation of flavoring components were developed to control the flavor intensities of four food bars when consumed dry and to provide full flavor intensity when rehydrated. The four food bars developed during this phase were: Mushroom Soup, Curried Chicken, Beef with Onion Gravy, and Lemonade. These four food items were found to have essen-	ARSTRACT (Continue on reverse side if necessary and identify by black number	r)
Onion Gravy, and Lemonade. These four food items were found to have essentially equal flavor intensities whether consumed day on polymental	The purpose of the study was to develop dual purp could be eaten as is or rehydrated to a familiar of the study, procedures for encapsulation of fla developed to control the flavor intensities of fo dry and to provide full flavor intensity when reh developed during this phase were: Mushroom Soup.	ose compressed food bars which food item. During Phase II woring components were ur food bars when consumed ydrated. The four food bars Curried Chicken. Beef with
tially equal flavor intensities whether consumed does on mahadradad	Onion Gravy, and Lemonade. These four food items	were found to have essen-
* *Darklibilish All Millipines and and an analysis .	tially equal flavor intensities whether consumed	dry or rehydrated

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)


404774

### **PREFACE**

This report is a continuation of the investigation, the initial phase of which was published as Technical Report #75-49-FEL by the US Army Natick Research and Development Command, formerly the US Army Natick Laboratories. The advantage of dual purpose food bars for the combat soldier and to his logistic support was noted in the previous report. Such bars would provide an acceptable and immediate supply of food under conditions which preclude diversion of attention to food preparation. However, when circumstances permit, dual purpose bars could be rehydrated to yield a variety of familiar and highly acceptable meal items. Preliminary observations have revealed that many food bars which are acceptably flavored for consumption after rehydration have a flavor intensity unacceptable for direct consumption.

The preceding report demonstrated the feasibility of controlling the flavor intensity at an acceptable level in dual purpose bars representing barbecued pork and chili with beans. In this report the investigation is extended to include cream of mushroom soup, curried chicken, beef with onion gravy, and lemonade. Each bar represents a requirement to control a different type of intense flavor, such as salt, single or multiple "hot" seasonings, dehydrated onion, acid, and essential oil.

This experimental program was performed at Swift & Company, Research & Development Center, Oak Brook, Illinois 60521 with funds provided under Project Number 1G762713A074, titled: Food Processing and Preservation Techniques. Dr. Robert L. Pavey served as Principal Investigator. Dr. Maxwell C. Brockmann and Justin M. Tuomy served as Project Officer and Alternate Project Officer, respectively, for the U.S. Army Natick Research and Development Command.



### TABLE OF CONTENTS

	Page
Introduction	7
Objectives	7
Specific Requirements	7
Experimental Procedures & Results	9
Ingredient Preparation	y
Formulation	9
Cream of Mushroom Soup	9
Curried Chicken	15
Beef with Onion Gravy	19
Lemonade	26
Preparation of Compressed Bars	26
Storage Evaluation of Test Products	29
Rehydration	27
Panel Acceptability Evaluation	29
Summary	32

### LIST OF TABLES

<u>rable</u>		Page
I	Formula for Control Mushroom Soup	10
1 1	Flavor Profile Descriptive Analysis Mushroom Soup Bars - Control	11
: * *	avor Profile Descriptive Analysis Mushroom Soup Bar - Shortening Test	12
īV	Caseinate Coating Material	13
v	Flavor Profile Descriptive Analysis Mushroom Soup Bar - Caseinate Coating	14
VI	Flavor Profile Descriptive Analysis Mushroom Soup Bar - Caseinate/Sp. Fat Test	16
VII	Curry Sauce Formula	17
VIII	Curried Chicken Formula	17
IX	Flavor Profile Descriptive Analysis Curried Chicken Bar - Control	18
X	Flavor Profile Descriptive Analysis Curried Chicken Bar - Shortening Test	20
XI	Flavor Profile Descriptive Analysis Curried Chicken Bar - Caseinate Coating	21

### LIST OF TABLES (CONT'D.)

XII	Onion Gravy Formula	19
XIII	Beef with Onion Gravy Formula	22
XIV	Flavor Profile Descriptive Analysis Beef with Cnion Gravy - Control	23
XV	Flavor Profile Descriptive Analysis Beef with Onion Gravy - Shortening Test	24
IVX	Flavor Profile Descriptive Analysis Beef and Onion Gravy Bar - Caseinate Test	25
IIVX	Flavor Profile Descriptive Analysis Lemonade Bar - Control	27
XVIII	Flavor Profile Descriptive Analysis Lemonade Bar - Gelatin Treated	28
XIX	Rehydration of Stored Bars	29
XX	Bar Rehydration	30
XXI	Acceptance, Quantitative Flavor Intensity and Hardness Panel Evaluation Data - 3 Months Storage at 40°C	31

### INTRODUCTION

### A. Objectives

The objective of this investigation was to develop and demonstrate one or more mechanisms for assuring an acceptable flavor in dehydrated compressed food bars, when consumed as a bar and when consumed after hydration as a familiar food or beverage. Effort was to be directed specifically to bars having a high sensory impact aron sodium chloride, organic acids, ground or soluble spices and seasonings. Bars used in this study were to yield the following items on rehydration.

- a. Cream of Mushroom Soup
- b. Curried Chicken
- c. Beef with Onion Gravy
- d. Lemonade

This investigation was performed in two (2) phases: Phase I was to evaluate and test commercially available encapsulated flavoring materials, and Phase II was to develop and test encapsulation of flavor materials applicable to products listed above which could not be prepared with commercially available materials available to Phase I.

During Phase I of this effort two bars, Chili with Beans and Barbecued Pork were completed and reported as Technical Report 75-49-FEL. This report is for Phase II of this investigation.

### B. Specific Requirements

All components and processes used in the preparation of the above food bars were to conform to current FDA regulations, and all flavor components were to be an integral part of the bar. Bars representing products normally served hot were to be hydrated with water at 75-85°C, while those normally consumed at room temperature or below were to be hydrated in water having a maximum temperature of 25°C. A maximum of 20 minutes, with mild agitation, was allowed for hydration.

Additives used for flavor control were not to exceed 5 percent of the dry weight of the bar and were not to adversely affect the texture, color, or mastication characteristics.

Bars were to have adequate cohesion to withstand normal handling without breakage, a minimum density of 0.8 gram per cubic centimeter, a minimum thickness of 1.2 centimeters, and a minimum weight of 12 grams. The dry bars were to be readily sheared by the incisors and were to be masticated and swallowed without difficulty. The hydrated products were to have an appearance and texture normal to their respective identities.

Bars were to undergo a storage at 40°C for three months sealed in containers impermeable to oxygen and moisture.

At the completion of this storage period, the bars were to receive an average sensory panel rating of 5 or more using a 9-point hedonic scale. After hydration, stored products were to receive an average sensory panel rating of  $\delta$  or more, based on a 9-point hedonic scale.

### EXPERIMENTAL PROCEDURES AND RESULTS

### A Preparation of Prototype Products

Formulation and processing procedures were developed for each of the four specified products to be evaluated in this study.

### 1. Ingredient Preparation:

All ingredients were used in their natural state or in freeze-dried form. Meats were pre-cooked, diced, frozen, and freeze-dried. Rice was pre-cooked, washed, drained, frozen and freeze-dried. Sauces and gravies were prepared as cooked materials, freeze-dried and chopped. The mushroom soup ingredients were all used as procured in their dry state. Lemonade bars were prepared from dry commercial lemonade mix (Wylers).

Freeze drying was accomplished using conventional methods with a maximum platen temperature of 25°C. After drying, all products were vacuum sealed in metal cans until used in product preparation.

### 2. Formulation:

The formula components were evaluated, and those found to contribute the strongest flavor characteristics were treated with various materials for the purpose of inhibiting their flavor intensity, when consumed from the dry state. Flavor intensity evaluations were made through the use of Flavor Profile Panel Analysis, which identifies intensities of individual flavor characteristics. Materials selected for this purpose were those which would release the full flavor potential when rehydrated. The material and procedure variables studied for each of the four food bars are discussed as follows:

### a. Cream of Mushroom Soup

Commercial canned cream of mushroom soup was used as a starting formula. This soup was strained of mushrooms and each component was then freeze-dried. When compressed into bars, this material was found to be very dark in color, very hard to break, and extremely difficult to hydrate. The addition of 10% and 20% cracker meal was not sufficient to soften the bars for proper hydration. It was found necessary to replace 50% of the mushroom soup material with a blend of other materials to permit proper hydration. This resulted in a formula for the mushroom soup bar as shown in Table I.

TABLE I
Formula For Control Mushroom Soup Bar

Ingredients	
Mushroom Soup Base, Dry	45.0
Instant Non-Dairy Creamer (Carnation)	21.8
Pre-gelatinized Starch (Instant Clearjel)	11.0
Cracker Meal	8.1
Chicken Soup Base (Lipton)	4.1
Mushrooms, Dehydrated	10.0
Total	100.0

Blending the above ingredients provided a formula which, when compressed, would hydrate within the maximum specified time limit. This bar was used as an initial Control reference.

This Control bar was subjected to a Flavor Profile Descriptive Analysis in order to determine the flavor intensity difference between dehydrated and rehydrated forms of consumption. The results of this evaluation are shown in Table II.

Interpretation of Flavor Profile intensity ratings is as follows:

- ) ( = just detectable intensity
- 1 = slight
- 2 = moderate
- 3 = strong
- † = increasing intensity level
- + = decreasing intensity level, a dissipating aroma, etc.
- a,b,c = sequence of individual aroma/flavor note detection

The first attempt to control this flavor intensity difference was to evaluate the procedure of adding an allpurpose shortening (Vream) as was round beneficial for the Chili and the Barbeque Pork items in Phase I. This shortening has a melting point of 42 to 44°C and should retain flavors at body temperature but release them when heated during hydration. This material was blended with the total soup base component, with the exclusion of the mushrooms, at 2, 4, and 8 percent of the total formula.

These test products were prepared and subjected to Flavor Profile evaluation. The results of this analysis are shown in Table III.

TABLE II

### Flavor Profile Descriptive Analysis

### Mushroom Soup Bars - Control

Flavor Character	Dehydrated	Rehydrated
Hydrolysate/MSG	1 - 2 (a)	1 1
Salt	2 - 3 (b)	1 - 2 (e)
NFDM/Milky/Casein	1 - 2 (c)	1 - 2 (b)
Creamy Sweet	1 - 2 (d)	1 - 2 (a)
Mushroom	1 - 2 (e)	1 - 2 (c)
Onion/Green Herb Complex	1 - 2 (f)	)( - 1+ (d)
Powdery/Dehydrated	)( - 1+ (g)	1 (f)
Milky Sour	! !	1 (9)
Aftertastes:	Creamy sweet, salt, cardboard, mushroom, green herbs, onion	Sour, cream, sweet, salt, mushroom, onion, green herbs
Mouthfeelings:	Creamy, chunky, salı- vation, chewy mushrooms, undissolved clumps, me- tallic tooth edging	Chewy mushroom parti- cles, MSG-salivation, sticks to teeth, salt particles

TABLE III

Flavor Profile Descriptive Analysis Mushroom Soup Bar - Shortening Test

	4% Shortening	aning	88 Shortening	ining
Flavor Character	Dehy.	Rehy.	Dehy.	Rehy.
Hydrolysate/MSG	1 - 2 (a)	; ; 1	2 (a)	1
Salt	2 - 3 (b)	1 - 2 (e)	2 - 3 (b)	1 - 2 (e)
NFDM/Milky/Casein	2 (a)	1 - 2 (b)	2 (c)	1 - 2 (b)
Creamy Sweet	1 - 2 (d)	1 - 2 (a)	1 (d)	1 - 2  (a)
Mushroom	1 - 2 (e)	1 - 2 (c)	1 - 2 (e)	1 - 2 (c)
Onion/Green Herb	1 - 2 (f)	)(-1+(d)	1 + (£)	)(-1 (d)
Powdery/Dehy.	1 (h)	1 (£)	1 (9)	1 (£)
Milky Sour	1 (g)	i !	! !	i i
Aftertastes:	Creamy, salt, cardboard, mushroom, green herbs, onion	Sour, cream, sweet, salt, mushroom onion, green herbs	Same as 4% - plus sweet, and sour	Same as 48
Mouthfeelings:	Creamy, chunky, salivation, soft & chewy mushrooms, me' llic tooth edging	Chewy mush- room parti- cles, MSG- salivation, sticks to teeth, salt burn	Same as 4% - plus chewy/ mushy mushrooms, undissolved clumps & poor hydration	Same as 48

the war found unacceptable in that too much salt flavor was to the ord in the mouth. This is apparently due to the impairment of the solid fat index (SFI) of this type of salt traing. It was found that the addition of shortening did a salt impair to the softness of the bar, which aided the atting are rehydration characteristics.

It was then our approach to find a material which was vary slow, dissolved in the mouth. The U.S. Army Natural S; we food Coating material was selected for this purpose and was pregented from the following formula.

TABLE IV

Caseinate Coating Material

Ingredients		
Durtex 500 Oil		9.7
Sodium Caseinate		9.7
Glycerine		2.8
Gelatin - 275 Bloom		2.2
Water		75.6
	Total	100.0

This coating material was applied to the mushroom soup base material with the added chicken soup base material at 10% and 20% levels. These ingredients make up approximately 50% of the total formula, resulting in a 5% and 10% caseinate coating level in the final product. This material, after blending with the soup base, was freeze-dried and chopped prior to blending with the remaining components in preparation of bars. This freeze drying resulted in an additive level of 1.25% and 2.5% respectively, due to the coating material being 75.6% water.

The bars prepared with the caseinate coating were submitted for Flavor Profile evaluation. Results of these analyses are shown in Table V.

This coating material was found effective in inhibiting or masking the intense salt flavor of this product when consumed dry, however, it also resulted in producing a very hard bar which was very difficult to break and rehydrate. This was especially true after 2 months storage at 38°C, at which time this variable was abandoned.

TABLE V

Flavor Profile Descriptive Analysis

## Mushroom Soup Bar - Caseinate Coating

	1.25% Ca	Caseinate	2.5% Cas	Caseinate
Flavor Character	Dehy.	Rehy.	Dehy.	Rehy.
Hydrolysate/MSG	1 - 2 (b)	1 1 1	1 - 2 (b)	1 1
Starch (Crackers)	1 (a)	1 - 2 (a)	1 (a)	1 (a)
Salt	2 (d)	1 - 2 (d)	1 - 2 (d)	1 - 2 (d)
Casein	1 - 2 (e)	1-2 (e)	2 (e)	2 (e)
Creamy Sweet	1 - 2 (c)	1 - 2 (e)	1 - 2 (c)	1 - 2 (b)
Mushroom	1 - 2 (f)	1 - 2 (f)	1 (f)	1 - 2 (c)
Onion/Green Herb	)(-1 (9)	)(-1 (h)	)(-1 (h)	)(-1 (f)
Powdery/Dehy.	) ( - 1 (h)	1 1	i i	1 1
Milky Sour	)(-1+(i)	)(-1(9)	1 (9)	)( - 1 (g)
Aftertastes:	Bitter, sour, cream, salt, mushroom, on-	Casein, creamy sweet, mushroom, green herbs	Same as 1.25% - plus sweet	Same as 1.25% plus metallic and onion
Mouthfeelings:	Metallic tooth edging, chewy, mushroom parti- cles,MSG-saliva- tion,sticks to teeth, creamy/ fatty coating	Creamy, chunky, salivation, chewy mushrooms, undissolved clumps, tooth edging, mouth burn, viscous	Same as 1.25%	Same as 1.25% but no undis- solved clumps

The next effort was to evaluate other potential solutions to this problem. After considerable review and discussion, it was decided to explore the use of a specialty fat with a very narrow plastic range and a melting point slightly above body temperature. The fat selected for this purpose was Swift's Tem Wip, which has a sharp melting point of 400 to 42°C. This material was evaluated at 8% and 16% of the total formula but added only to the ingredients other than the mushrooms. This fat was found to be more acceptable than the all-purpose shortening (Vream), but still not sufficient to mask the salt intensity to the degree desired.

From the above studies it was observed that the addition of fats aided hydration and eating characteris ics, but had little effect on flavor intensity. The addition of the caseinate coating material was effective in reducing the salt, but had a very detrimental effect on the eating and hydrating characteristics. Therefore, it was decided to evaluate the two approaches in combination. The caseinate coating was applied to the 50% of the formula which contained the high salt at 10% and 20% levels (equivalent to 2.5 and 5.0% dry matter). This resulted in an additive level of 1.25% and 2.50% respectively, in the final product, on a dry weight basis. These levels were then prepared into bars containing 16% fat (Tem Wip), and evaluated.

The test bars were prepared and submitted to Flavor Profile analysis, with the results shown in Table VI.

This evaluation showed that the higher levels of caseinate in formulas containing '6% fat met the objectives of flavor control, hardness of bars, and rehydration. Therefore, the 1.25% caseinate bars were submitted to the prescribed storage evaluation. For purposes of this contract, the addition of the fat is considered as an improvement of the original control product and not for the purposes of flavor intensity control. The flavor intensity control is provided by the caseinate coating at 1.25% level.

### b. Curried Chicken:

The curried chicken formula was prepared by our Executive Chef, in separate parts: sauce, chicken, and rice. The formulas for these components were as follows:

TABLE VI

Flavor Profile Descriptive Analysis Mushroom Soup Bars - Casein/Sp. Fat Test

		1.25%	Caseinate		
	Flavor Character	Dehy.		Dehy.	Tem Wip Rehy.
	Hydrolysate/MSG	1-2  (a)	1 1	1 - 2 (a)	, j
	Salt	2 (b)	1 - 2 (d)	2 (b)	1 - 2 (d)
	NFDM/Casein	1 - 2+ (c)	1 - 2 (b)	2 (d)	
16	Creamy Sweet	1 - 2 (d)	1-2  (a)	1 - 2 (c)	1 - 2 (a)
6	Mushroom	2 (f)	2 (c)	1 - 2 (e)	7
	Onion/Green Herb	1+ (g)	)(-1(e)	)(-1 (£)	)(-1(£)
	Milky Sour	1 (e)	1† (g)	)(-1+(g)	٦ -
	Powdery/Dehy.	1 (f)	f s 1	)(-1 (h)	ſ
	Aftertastes:	Creamy, sweet, salt, chalky, cardboard, mushroom, green herbs, onion	Sour, cream, sweet, salt, mushroom, on- ion, green herbs	Same as 1,25%	Same as 1.25%
	Mouthfeelings:	Creamy, chunky, sallvation,chewy mushroom,metallic tooth edging, mouth burn	Metallic tooth edging, chewy mushroom particles, Cles, MSG-salivation, sticks to teeth, salt burn, salt particles	Same as 1.258	Same as 1.258

TABLE VII

### Curry Sauce Formula

Ingredients		
Apple Sauce		12.18
Non Fat Dry Milk		8.12
Shortening (Vream)		3.17
Chicken Base (Lipton's)		3.04
Curry Powder (McCormick)		2.54
Hard Wheat Flour		2.18
Onion Juice		2.02
Salt		1.02
Waxy Maize Starch		.73
White Pepper		.011
Bay Leaf, Ground		.004
Water		64.985
	Total	100.000

This curry sauce was prepared as a fully-cooked component, frozen, and then freeze-dried. Swift Premium chicken rolls, white meat without skin added (fully cooked), were sliced and diced 5.5 cm x 2.5 cm x 2.5 cm, frozen and freeze-dried for use as the meat portion. Rice was cooked in two parts water by bringing to a boil, followed by baking 25 minutes in a 125°C oven, frozen and freeze-dried.

The above dried components were blended in the following proportions for preparation of the control bars.

TABLE VIII

### Curried Chicken Formula

Component	
Chicken, Diced, Freeze-Dried	70
Curry Sauce, Freeze-Dried	20
Rice, Freeze-Dried	10
Total	100.0

Evaluation of the Control bars established that the curry sauce component required flavor intensity control as is shown in Table IX.

Therefore, our efforts were concentrated on this curry sauce component.

TABLE IX

Flavor Profile Descriptive Analysis

Curried Chicken Bar - Control

	Control	
Flavor Character	Dehydrated	Rehydrated
Curry Spice Blend	2+ (a)	2 (a)
Cumin/Sage	1 (b)	1 - 2 (b)
Ginger/Cloves	)( - 1 (c)	: :
Red Pepper	1 - 2+ (d)	)( - 1+ (c)
Salt	1 - 2+ (e)	2 (f)
Chicken	1 (f)	1 (9)
Onion (Dehy.)	)( - 1 (g)	)(-1(e)
Sweet Curry	1 (h)	1 - 2 (d)
Sour	)(-1 (i)	)( - 1 (h)
Rice, Dehydrated	1 (j) .	1 (i)
Aftertastes:	Pepper, cloves, onion, curry, cumin, cardboard, HVP, salt	<pre>Salt, sweet, pepper, curry, cloves, onion, cumin, rice</pre>
Mouthfeelings:	Pepper burn, salivation, hard rice, slow hydration, sticks to teeth, numbing (cloves),throat irrita- tion, spice burn	Salivation, chewy rice, numbing (cloves), pep- per/curry burn, mealy texture, mouth irrita- tion, not rehydrated well (rice)

Our first attempt in controlling the flavor intensity of this item was to evaluate the use of an all-purpose shortening (Vream) at 10% and 20% of the curry sauce component. This resulted in a 2% and 4% level in the total product since the curry sauce makes up 20% of the total formula. Both levels of the all-purpose shortening caused a slower flavor release in the dry bar as compared to the control. The flavor intensity, however, did build up to excessive levels with time. These analyses are shown in Table X. The shortening was effective in diminishing the salt intensity in this product, contrary to its effect in mushroom soup, but was not effective in reducing the pepper intensity.

The next approach for the curry sauce was to evaluate the use of caseinate coating at 10% level in the curry sauce portion, which is 0.5% of the total formula on a dry matter basis. This treatment also included the addition of Tem Wip Specialty fat at 20% of the curry sauce component, or 4% of the total formula. The addition of the caseinate coating was found to be effective in reducing the pepper flavor intensity. The profile results are shown in Table XI. This treatment was prepared for storage evaluation using 0.5% caseinate coating and 3% (15% of the curry spice component) Specialty fat (Tem Wip).

### c. Beef with Onion Gravy

The onion gravy for this item was prepared by our Executive Chef, using the following formula:

TABLE XII
Onion Gravy Formula

Ingredients		- 8
Onions, Chopped		18.0
Tomato Paste		4.10
Hard Wheat Flour		3.41
Beef Base		2.98
Celery Juice		2.46
Shortening (Vream)		2.36
Carrot Juice		1.23
Onion Juice		1.23
Waxy Maize Starch		υ <b>.79</b>
Garlic Juice		J.16
Monosodium Glutamate		J.10
Black Pepper		J.025
Caramel Color		ુ.025
Water		63.130
To	otal	100.000

TABLE X

Flavor Profile Descriptive Analysis

Curried Chicken Bars - Shortening Test

		28	Shortening	4% Shortening	- 1
Flavor Character	acter	Dehy.	Rehy.	Dehy.	Reny.
Curry Spice Blend	ce Blend	1 - 2t (a)	2 (a)	1 - 2+ (a)	1 - 2 (a)
Cumin/Sage	Ø	(q) [	1 - 2 (b)	(ش) ر	1-2  (b)
Ginger/Cloves	oves	)(-1(c)	1 1	)( - 7 (c)	\$ \$ \$
Pepper		$1 - 2 \uparrow (d)$	1+ (c)	i - 24 (d)	1+ (c)
Salt		14 (e)	1 - 2 + (f)	1+ (e)	1-2  (f)
Chicken		)(-1 (f)	1 (9)	)( - 1 (£)	1 (9)
Onion (Dehy.)	hy.)	)(-1 (9)	) (e)	1(-1(9)	1 (e)
Sweet (Curry)	rry)	1 (h)	1 - 2 (d)	1 (h)	1 (4)
Sour		)(-1 (i)	)(-1(h)	)( - 1 (i)	)(-1(h)
Rice, Dehydrated	ydrated	1 (j)	1 (i)	1 (3)	1 (i)
		Slow flavor release	<b>v</b>	Slow flavor release	
Afrertastes:	••	Pepper, cloves, on- lon, curry, cumin, cardboard, HVP, salt, sour	<pre>Salt,sweet,pepper, curry,cloves,on- ion,cumin,rice</pre>	Same as 28	Same as 28
Mouthfrelings:	 ສາ ເກ	Pepper burn, sall- vation, hard rice, slow hydration, stick; to teeth, numbing (cloves), throat irritation, spice burn	Salivation, chewy rice, numbing (cloves), pepper/ curry burn, mouth ! ritation, not rchydrated well	Same as 2%	Same as 28

TABLE XI

Flavor Profile Descriptive Analysis

# Curried Chicken Bar - Caseinate Coating

	48	Specialty Fat
Flavor Character	Dehydrated	Rehydrated
Curry Spice Blend	2+ (a)	1-2  (a)
Cumin/Sage	1 (b)	1-2  (b)
Ginger/Cloves	1 (c)	
Pepper	î+ (d)	1 (c)
Salt	1 - 2 (e)	1-2  (f)
Chicken	1 (f)	1 (1)
Onion (Dehydrated)	)(-1(9)	)( - 1 (e)
Sweet (Curry)	1 (h)	1-2  (d)
Sour	)(-1 11)	1 (h)
Rice, Dehydrated	; (j) Slow flavor release	1 (i)
Aftertastes:	Pepper, cloves, onion, curry, cumin, cardboard, HVP, salt, sour	<pre>Salt,sweet,cumin, pepper,curry,rice, cloves,onion,sour</pre>

Salivation, chewy rice, numbing (cloves), pepper/curry burn, mouth irritation, not rehydrated well (rice)

Pepper burn, salivation, crisp hard rice, slow hydration, numbing (cloves), sticks to teeth, throat

Mouthfeelings:

irritation, creamy/fatty

mouthcoating

The above onion gravy was prepared as a cooked gravy, frozen, and freeze-dried. The meat used was boneless rib eye, which was braised for 20 minutes in a 260°C oven. This meat was then chilled in a -2°C cooler overnight, diced 0.5 cm x 2.5 cm x 2.5 cm, frozen and freeze-dried.

The bar formulation was as follows:

### TABLE XIII

### Beef With Onion Gravy Formula

Ingredien	ts		<u> </u>
Meat, Dis Onion Gra	•		90 10
		Total	100

The preparation and evaluation of the control Beef and Onion Gravy bar demonstrated a high intensity of onion and pepper flavor, when consumed dry. These results are shown in Table XIV.

The use of an all purpose shortening at 10% and 20% of the gravy mix was evaluated. The only effect noted was on the onion sour note, with no apparent effect on the onion and the pepper flavor characteristics. There was a marked improvement in bar texture and rehydration characteristics. These results are shown in Table XV.

The caseinate coating was then tried in conjunction with the Specialty fat (Tem Wip). The caseinate coating was added to the onion gravy mix at 20% level wet weight, resulting in 5% on a dry weight basis for the onion gravy component after freeze-drying. This was then chopped and treated with 20% fat (Tem Wip). These treatments of the gravy portion resulted in a 0.5% caseinate and 2% fat addition to the total formula, since the gravy portion was used at 10% of the total formula. The meat was then sprayed with water until slightly pliable and then blended with the treated gravy mix prior to compression into bars. The bars were freeze-dried and evaluated. These results are shown in Table XVI.

The combined caseinate-fat treatment was effective in reducing the onion flavor and pepper flavor of this bar. Therefore, this treatment was prepared for storage evaluation

TABLE XIV

Flavor Profile Descriptive Analysis Beef and Onion Gravy Bar - Control

Dehydrated Rehydrated	2+ (a) 1 (d)	2+ (b) 1 - 2 (a)	2+ (c) 1 (c)	1 (£)	1+ (e) 1 - 2+ (e)	1+ (d) )( - 1+ (g)	1 (f) 1 (b)	1 (g) 1 (h)	r,sweet, Onion,sour,salt,beef,	per warmth, Chunky, salivation, ration, astringent, incompletely h, throat rehydrated
Flavor Character Dehy	Onion (Dehy.)	Beef 1 -	Sour (Onion) 1 -	Hydrolysate -	Salt	Black Pepper	Sweet )( -	Dehydrated )( -	Aftertastes: Onion, salt, sour, sweet, beef	Mouthfeelings: Salivation, pepper warmth, dry, slow rehydration, sticks to teeth, throat drying

TABLE XV

Flavor Profile Descriptive Analysis

Beef and Onion Gravy Bar - Shortening Test

	18	1% Shortening	2% Shortening	ening
Flavor Character:	Dehy.	Rehy.	Dehi.	Dehy.
Onion (Dehy.)	2† (a)	1 (d)	2↑ (ಡ)	1 (d)
Beef	1 - 21 (b)	1-2  (a)	1 - 2 + (b)	1 - 2 (a)
Sour (Onion)	(þ) , .	1 (c)	1+ (c)	1+ (c)
Hydrolysate	1 1	)(-1(f)	1 1	)(-1 (f)
Salt	(c)	1 - 2 (c)	1+ (e)	1 - 2 (e)
Black Pepper	1 (e)	1 (9)	1 (d)	1† (9)
Sweet	)(-1(£)	1 (b)	)(-1 (f)	1 (b)
Dehydrated	)(-1(9)	1 (h)	)(-1 (g)	1 (h)
Aftertastes:	Onion, salt, sour, sweet, beef	Onion, sour, salt, beef, pepper, sweet	Same as 18	Same as 18
Mouthfeelings:	Salivation, pep- per warmth, firm, dry, slow hydra- tion, sticks to teeth, throat drying	Chunky, salivation, astringent, stringy, incompletely rehydrated, mushy consistency	Salivation, pepr per warmth, sticks to teeth, throat drying, soft & crumbly, fatty	Same as 18 - but not stringy

TABLE XVI

Flavor Profile Descriptive Analysis

Beef and Onion Gravy Bar - Caseinate Test

0.5% Caseinate

	S S S S S S S S S S S S S S S S S S S	0.3; caseinace 2% Specialty Fat
Flavor Character	Dehydrated	Rehydrated
Onion (Dehy.)	1 - 2+ (a)	1+ (b)
Beef	1 - 2 (b)	2 (a)
Sour (Onion)	)(-1+(d)	)( - 1 (d)
Hydrolysate	1 (c)	i i
Salt	1-2  (f)	1 - 2 (e)
Black Pepper	)(-1(e)	1 (f)
Sweet	)(-1(9)	1 (c)
Dehydrated	)( - 1 (h)	1† (g)
Aftertastes:	Onion, salt, sour, sweet, beef	Onion, salt, sour, sweet, beef, pepper
Mouthfeelings:	Salivation, pepper warmth, creamy, greasy/fatty coating	Salivation, chunky, astringent, completely rehydrated

### d. Lemonade Bar

The Control material used for the lemonade bar item was "Wylers" lemonade mix. This bar was prepared by spraying the lemonade mix with water until just barely tacky (about 3% water added) and compressing. The bar was then freeze-dried and evaluated by Flavor Profile. The results of this analysis are shown in Table XVII.

This bar was extremely sweet and tart when consumed dry in comparison to when rehydrated. Several alternatives for reducing this sweet/tart flavor were considered, including sugar coating, tat coating, gums and gelatin. Of these alternatives it was decided that the only logical alternative would be the use of gelatin, which would hydrate in cold water without objectionable characteristics. Gelatin (100 bloom) was hydrated in a 30% gelatin concentration, heated until dissolved, then sprayed onto the lemonade while stirring to achieve uniform distribution. The levels selected for study were 7.0, 9.3 and 12.0% of the gelatin solution, resulting in 2.1, 2.8 and 3.6% gelatin respectively, on a dry weight basis. Each of these, and especially the 12% treatment, became quite sticky during this addition. These materials were freeze-dried and rechopped into a coarse powder prior to forming bars. Tasting of these gelatin treated products appeared to greatly diminish the sweet/tart flavor of the original lemonade mix. These bars were prepared and subjected to Profile flavor evaluation. Results are shown in Table XVIII.

Both the lemon sour/tart and the sweetness intensities were diminished with increasing levels of gelatin. The 3.6% gelatin level was considered best in regard to flavor intensity and, therefore, was prepared for storage evaluation.

### 3. Preparation of Compressed Bars:

Products were compressed in a 4 cm x 6.5 cm die to a thickness controlled by the length of the upper and lower punch length having a cavity of 1.2 cm thickness when pushed to the limits of the upper and lower surfaces of the die assembly. Press pressure was sufficient to push the punch fully into the die. The meat portions of the products were conditioned with moisture prior to compression, to prevent particle fragmentation. At least 30 grams of moisture-conditioned product were compressed in this manner, resulting in a density of at least 0.8 grams per cubic centimeter after drying. The product weight was increased to achieve sufficient cohesion to withstand handling, where necessary. The compressed bars were freezedried and then placed in flexible pouches and sealed fol-

TABLE XVII

### Flavor Profile Descriptive Analysis

Lemonade Bar - Control

TABLE XVIII

Flavor Profile Descriptive Analysis

Lemonade Bars - Gelatin Treated

	,	·	28 Gelatin	atin			2.8% G	2.8% Gelatin			49	3 68 (2012+37	
Eu i	Flavor Character	Dehy.	у.	Rehy.	ا خ	Dehy.	×-	Rehy.	خا	Dehy.	. Y.	Rehy.	74.
	Lemon Sour/Tart	2-3 (a)	<u>(a</u>	1-2+ (d)	(d)	2+	2+ (a)	1-2	<b>(a</b> )	2	2 (a)	1-2	1-2 (a)
	Sugar Sweet	2+	2+ (b)	7	<u>8</u>	7	<b>(</b> q)	1-2+ (b)	<b>Q</b>	2	(p)	1-24	1-2+ (b)
	Artificial Lemon	1-2	(ο)	1-2	(0)	1-2	(S)	н	ΰ	٦	(c)	H	ΰ
	Powdery, Dehy.	) (-1	(g)	) (-1	(q)	) (-1	(q)	) (-1	(g)	) (-1	(p)	) (-1	(g)
28	Bitter	1+	1+ (e)	+1	1+ (e)	)(-1+ (e)	(e)	)(-1+ (e)	<u>©</u>	) (-1	(e)	) (-1	<b>e</b>
A	Aftertastes:		Dehy	Dehydrated (All)	(A11)		1	ł		Rehydrated (All)	ated	(A11)	•
		Sour, ficia	,sweet,	Sour,sweet,bitter (peel),arti- ficial lemon	(peel	),arti-		oj <del>u</del> l	our, p	Sour,powdery,sweet,b ficial lemon,gelatin	sweet	Sour,powdery,sweet,bitter,arti- ficial lemon,gelatin	arti
S	Mouthfeelings:	Throat : throat b abrasive	at '.rri it burr iive	Throat 'rritation (acid),mouth/ throat burn,extreme astringency, abrasive	(acid	.),mout} ringend	\. \.	ው <b>ታ</b> ው ወ	Salivat tingle, gelatir drying	Salivation, astringent, mou tingle, throat irritation gelatinous coating, tooth drying	tring irri ating	Salivation, astringent, mouth tingle, throat irritation (a gelatinous coating, tooth eddrying	uth (acid), edging,

lowing complete evacuation and nitrogen backfill to approximately 1/2 atmospheric pressure.

### 4. Storage Evaluation of Test Products:

The four (4) products developed above were placed in 40°C storage for a period of three (3) months, in nitrogen backfilled foil laminated pouches. The results of this storage evaluation are discussed as follows:

### a. Rehydration:

The bars were broken into pieces prior to hydration in hot water, 75° to 85°C (except for lemonade - 20°-25°C), according to the amounts shown in Table XIX. After the water was added, mild agitation was applied using a spoon. At the end of 20 minutes, the product was evaluated and found to be hydrated to an acceptable degree.

TABLE XIX
Rehydration of Stored Bars

Type of Bar	Weight of Bar	Grams Water	Temp.
Mushroom Soup	30 gms	142	85°C
Curried Chicken	20 gms	42	85°C
Beef & Onion Gravy	30 gms	42	85°C
Lemonade	2ù gms	185	85°C

The mushroom soup had a few lumps which were not fully hydrated, the beef had a few particles of meat not fully hydrated; the curried chicken meat was broken up, and the lemonade had some undissolved particles. All products appeared to have acceptable texture and flavor and were, therefore, subjected to panel acceptability evaluation.

### b. Panel Acceptability Evaluation:

### 1. Objective

To evaluate acceptability of dehydrated, compressed food bars consumed (1) in dehydrated bar form, and (2) as a familiar food or beverage, in rehydrated form.

### 2. Panel Procedure

Twenty male laboratory personnel, of approximate

25-35 years age, participated in this evaluation series. Panels were conducted over 3 consecutive days. Two bar varieties, rehydrated and dehydrated forms, were evaluated per panel session.

Test criteria included overall appeal, flavor appeal and intensity, and texture/mouthfeel appeal Appeal (acceptability) ratings were based on a 9-point hedonic system (1 00 = dislike extremely; 9.00 = like extremely); flavor and hardness ratings were quantitative (1 00 = none; 6 00 = very much/extreme).

### 3. Product Preparation:

Dehydrated Bars - Each bar was cut into 6 gram pieces; two pieces were consumed by each panelist.

Rehydrated Bars - Bars were broken into pieces prior to hydration. Hot water, 75-85°C (except lemonade, 20°25°C) was added and mild agitation applied. Rehydrated product was allowed to stand (double-boiler water bath) 20 minutes before serving. The following bar-water proportions were used.

TABLE XX
Bar Rehydration

Bar Variety	Weight of Bar	Recommended Water/Bar Proportion	*Actual Amount Added Water/Bar
Lemonade	30 gms	185 gms	185 gms
Mushroom Soup	30 gms	142 gms	142 gms
Beef w/Onion Gravy	30 gms	42 gms	48 gms
Curried Chicken w/Rice	?∂ gms	42 gms	57 gms

\* Additional water added to Beef with Onion Gravy and Curried Chicken varieties to promote "typical" consistency.

An approximate 55-60°C serving temperature was maintained for rehydrated bars (except lemonade, room temperature); dehydrated counterparts were served at room temperature. Fifty milliliters soup or lemonade and 25 gms curried chicken or beef with gravy sample portions were served.

### 4. Data Presentation:

The acceptance and quantitative flavor intensity/ hardness panel data (mean scores) shown in Table XX were obtained

Overall/Flavor/Texture-Mouthfeel Appeal 9-point word hedonic rating scale: 1.00 = dislike extremely

TABLE XX

Acceptance, Quantitative Flavor Intensity and Hardness Panel Evaluation Data - 3 Months Storage at 40°C

Bar Variety	Overall Appeal	Flavor	Flavor Intensity	Texture/ Houthfeel Appeal	Hardness
Lemonade Bars Dehydrated Rehydrated	6.80	7.05	5.00	6.25 6.85	3.40
Mushroom Soup Dehydrated Rehydrated	7.40	7.55	4.30	6.80	2.10
Beef w/Onion Gravy-l Dehydrated Rehydrated	6.50	6.70	4.00 4.35	6.00	1.85
Beef w/Onion Gravy-2 Dehydrated Rehydrated	6.20 6.45	6.30	3.75	6.35 5.80	2.60
Curried Chicken w/Rice Dehydrated Rehydrated	6.40	6.45 6.80	4.5.5.00	6.10	2.45

2 00 = dislike very much, 3 00 = dislike moderately, 4 00 = dislike slightly, 5 00 = neither like/dislike, 6 00 = like slightly, 7.00 = like moderately, 8 00 = like very much, 9 00 = like extremely

Overall Flavor Intensity 6-point quantitative rating scale: 1 00 = none. 2 00 = very little. 3 00 = little. 4 00 = moderate, 5.00 = much. 6.00 = very nuch.

Degree of Hardness 5-point quantitative rating scale: 1 00 = slight, 2.00 = moderate, 3.00 = much, 4.00 = very much, 5 00 = extreme.

Panel data were not subjected to statistical analyses, According to contract (reference #DAAG17-73-C-01210, Sensory Evaluation specifications (page 5), "Bars stored 3 months at 40°C shall receive an average rating of 5 or more when evaluated by a panel on the basis of a 9-point hedonic scale. After hydration, each item shall receive an average rating of 6 or more based on a 9-point hedonic scale "All bar varieties submitted met these specifications

### 5. Summary:

The four (4) food bar items requiring flavor intensity control during this phase of the contract were evaluated and methods of flavor intensity control were developed. The Mushroom Soup required a caseinate coating, the Curried Chicken and the Beef with Onion Gravy required a combination caseinate/fat treatment, and the Lemonade bar used a gelatin coating to achieve the desired flavor inhibition, when consumed in the dry state. These materials released the full flavor intensity when hydrated in their respective manner.

The above treated bars were prepared and evaluated after 3 months storage at 40°C and found acceptable.